TABLE OF CONTENTS

EXE	EXECUTIVE SUMMARY ES-1				
1.0	INTRODUCTION				
	1.1	Backg	round	1-1	
	1.2	Previo	ous Investigations at the 4H Shell Mounds	1-3	
	1.3		t Organization		
2.0	METHODS AND MATERIALS				
	2.1	Cageo	d Mussel Bioassays	2-1	
		2.1.1			
		2.1.2	Sampling Locations		
		2.1.3			
			Mussel Collection and Processing		
			Mooring Deployment		
		2.1.6	Mooring Recovery		
		2.1.7	Post-Deployment Processing		
		2.1.8	Mussel Tissue Contaminant Analysis		
	0.0		Data Analysis		
	2.2		permeable Membrane Devices		
		2.2.1			
			Sampling Locations SPMD Deployment		
			SPMD Recovery and Processing		
			SPMD Analyses		
	2.3		ial Sediments		
	2.5	2.3.1	Sampling Design		
			Sampling Locations		
			Sampling Methods		
			Sample Analyses		
	2.4		nt and Temperature Measurements		
			Sampling Design		
			Mooring Locations		
			Mooring Design and Fabrication		
			Mooring Deployment and Recovery		
3.0	RESULTS				
	3.1	Weath	ner and Oceanographic Conditions	3-1	
			Weather		
		3.1.2	Currents	3-1	
		3.1.3	Water Temperature	3-4	
	3.2		d Mussel Bioassay		
			Mussel Survival		
		3.2.2	Growth	3-4	
		3.2.3	Tissue Lipids	3-20	

		3.2.4	Contaminant Bioaccumulation	. 3-21
	3.3	-	permeable Membrane Devices	
	3.4		ial Sediments	
		3.4.1	Grain Size	
		3.4.2	General Chemistry Trace Metals	
		3.4.4		
			Pesticides and PCBs	
			Polycyclic Aromatic Hydrocarbons (PAHs)	. 3-49
		3.4.7	Total Petroleum Hydrocarbons (TPH) and Total	0 = 1
		210	Recoverable Petroleum Hydrocarbons (TRPH)	
			Volatile Organic Compounds (VOCs)Phenols and Phthalates	
4.0	DICC			
4.0 DISCUSSION				
5.0 CONCLUSIONS			IONS	5-1
6.0	REF	EREN	CES	6-1
			APPENDICES	
Ann	endix ¹	1 Sar	mpling and Analysis Plan	
• •				
	endix 2		olied Biomonitoring Report	
App	endix (3 Tis	sue Chemistry Data/QA Case Narrative	
Appendix 4		4 SP	PMD Chemistry Data/QA Case Narrative	
Appendix 5		5 Sur	ficial Sediment Chemistry Data/QA Summary	
			LIST OF FIGURES	
1-1			on 4H Shell Mounds and Reference Sampling Locations	
1-2	4	Bathy	metry at the 4H Shell Mounds	1-5
2.1- 2.1-			ling Locations at the Hazel Shell Moundling Locations at the Hilda Shell Mound	
2.1-			ling Locations at the Hope Shell Mound	
2.1-			ling Locations at the Heidi Shell Mound	
2.1-	_	Samp	ling Locations at the Shallow Reference Site	2-6
2.1-	_		ling Locations at the Deep Reference Site	
2.1- 2.2-			el Cage Designgraph of SPMD Canister Containing Spider Carriers with SPMD	2-8
۷.۷-	ı		graph of SPMD Canister Containing Spider Carriers, with SPMD Bags	2-21
		-ibia r	- 490	

3.1-1	Daily Rainfall (cm) and Maximum 2-Minute Wind Speeds in Santa Barbara, CA During February 22 to April 23, 2003. Data were obtained	
	from the Western Regional Climate Center	3-2
3.1-2	Times Series of Currents and Water Temperatures at the Deep (SBSM-2) and Shallow (SBSM-1) Current Meter Moorings	2.2
3.1-3	Current Ellipses for the Tidal Component (M2 Lunar Tide) at the Shallow	,
3.1-4	(SBSM-1) and Deep (SBSM-2) Current Meter Moorings	3-5
	(SBSM-2) Current Meter Moorings	3-6
3.1-5	Comparisons of Time Series for Significant Wave Height (m) and Wind Velocity (m/s) at NDBC Buoy 46053, Currents at Shallow Current Mooring (SBSM-1), and Water Temperatures at the Shallow Shell Mound and Reference Sites	3-7
3.1-6	Comparisons of Time Series for Significant Wave Height (m) and Wind Velocity (m/s) at NDBC Buoy 46053, Currents at Deep Current Mooring (SBSM-2), and Water Temperatures at the Deep Shell Mound and Reference Sites	2 0
3.2-1	Mussel Length Metrics	
3.2-1	Mussel Whole Animal Wet Weight (WAWW) Metrics	
3.2-2	Mussel Soft Tissue Weights	
3.2-4	Mussel Shell Weights	
3.2-4	Box-Whisker Plot of Lipid Concentrations (% dry weight) in Mussel	3-14
3.2-3	Tissues	
3.2-6	Box-Whisker Plots of Metal Concentrations (mg/kg dry weight) in Mussel Tissues	
3.2-7	Box-Whisker Plots of Metal Concentrations (mg/kg dry weight) in Mussel Tissues	
3.2-8	Box-Whisker Plots of Metal Concentrations (mg/kg dry weight) in Mussel	
3.2-9	TissuesBox-Whisker Plots of Pesticide and PCB Concentrations (ng/g dry	3-26
J.Z J	weight) in Mussel Tissues	3-29
3.2-10	Proportions by Weight of Individual PCB Congeners in Mussel Tissues from the Shell Mound and Reference Sites and Beginning-of-Test (BOT)	
0 0 44	Samples.	3-31
3.2-11	Box-Whisker Plots of PAH Concentrations (ng/g dry weight) in Mussel Tissues	3-38
3.2-12	Concentrations of Individual PAHs (ng/g dry weight) in Shell Mound and Reference Site and Beginning-of-Test (T0) Mussel Tissue Samples	3-39
3.4-1	Comparison of Fines (% Silts + Clays) in Sediments Near the 4H Shell Mounds with those of the Shallow and Deep Reference Sites (red horizontal lines) and Bight'98 Regional Monitoring Program Sites in the	
3.4-2	Santa Barbara Channel	3-43
	in the Santa Barbara Channel	3-45

3.4-3	Comparison of Barium Concentrations (mg/kg dry weight) in Sediments Near the 4H Shell Mounds with those of the Shallow and Deep	
	Reference Sites and Bight'98 Regional Monitoring Program Sites in the	
		3-46
3.4-4	Comparison of Zinc Concentrations (mg/kg dry weight) in Sediments	, 10
0.1 1	Near the 4H Shell Mounds with those of the Shallow and Deep	
	Reference Sites and Bight'98 Regional Monitoring Program Sites in the	
	Santa Barbara Channel	3-46
3.4-5	Distributions of Barium (mg/kg dry weight) in Surface Sediments Near	
	Each of the 4H Shell Mounds3	3-47
3.4-6	Comparison of PCB Concentrations (ng/g dry weight) in Sediments Near	
	the 4H Shell Mounds with those of the Shallow and Deep Reference	
	Sites and Bight'98 Regional Monitoring Program Sites in the Santa	
	Barbara Channel. Circles represent non-detected results	-50
3.4-7	Distributions of PCBs (ng/g dry weight) in Surface Sediments Near Each	
		3-50
4-1	Barium Concentrations (mg/kg) in Shell Mound Cores (Blue Boxes) and	
	Bottom Sediments Adjacent to the Shell Mounds (Yellow Boxes)	4-4
4-2	Zinc Concentrations (mg/kg) in Shell Mound Cores (Blue Boxes) and	
	Bottom Sediments Adjacent to the Shell Mounds (Yellow Boxes)	4-5
4-3	Lead Concentrations (mg/kg) in Shell Mound Cores (Blue Boxes) and	
	Bottom Sediments Adjacent to the Shell Mounds (Yellow Boxes)	4-5
4-4	PCB Concentrations (µg/kg) in Shell Mound Cores (Blue Boxes) and	
	Bottom Sediments Adjacent to the Shell Mounds (Yellow Boxes)	4-6
	LIST OF TABLES	
1-1	Summary of Shell Mound Surveys	
1-2	Summary of Shell Mound Strata	
2.1-1	Mussel Mooring Coordinates and Deployment Periods	2-3
2.1-2	Number of Mussels in 1-mm Size Groups Measured During the Rough	
0.4.0	Sort	2-9
2.1-3	Mean Shell Length and Whole-Animal Wet-Weight (WAWW) by Station	
0.4.4		2-10
2.1-4	Target Method Detection Limits (MDL) Achieved and Reporting Limits	
0.04	(RL) for Metals in Mussel Tissue Samples	
2.2-1	SPMD Sample Coordinates	
2.3-1	Sediment Sampling Station Coordinates	
2.4-1	Current Meter Mooring Coordinates	
2.4-2	Thermister (Temperature Recorder) Coordinates and Depths	- ∠0
3.1-1	Summary of Current Data for Shallow and Deep Moorings During	2 1
3.2-1	February 22 to April 27, 2003 Percent Survival by Individual Cage and Mean by Site	
3.2-1	Summary of Mussel Growth Metrics	
3.2-2	Summary of Results from Statistical Analyses of Mussel Growth Metrics. 3	
J.∠⁻J	Ourimary of Nesults from Statistical Arialyses of Mussel Growth Methics. 3	,- I O

3.2-4	Average Metal Concentrations (mg/kg dry wt) in Mussel Tissues. Value of one-half the reporting limit were used for non-detected results to	S
	calculate means	. 3-19
3.2-5	Summary of Results from Statistical Analyses of Mussel Tissue Metals	0.00
	Bioaccumulation Data	. 3-23
3.2-6	Average Concentrations (ng/g dry wt) of Pesticides and Polychlorinated	
	Biphenyls in Beginning (T0) and End-of-Test Mussel Tissues	. 3-28
3.2-7	Summary of Results from Statistical Analyses of Mussel Tissue	
	Pesticide, PCB, and PAH Bioaccumulation Data	. 3-31
3.2-8	Average Concentrations (ng/g dry wt) and Component Ratios of	
	Polycyclic Aromatic Hydrocarbons in Beginning (T0) and End-of-Test	
	Mussel Tissues.	. 3-33
3.2-9	Concentration by PAH Class (ng/g dw) and Percent of Total PAH	. 3-35
3.2-10	PAH Distribution by Source: Pyrogenic, Biogenic, and Petrogenic.	
	Concentration (ng/g dw) and percent of total PAH	. 3-40
3.2-11	Content of Low Molecular Weight (LMW), High Molecular Weight	
	(HMW), and Total PAHs (ng PAH/mussel)	. 3-40
3.4-1	Grain Size Distributions for Surficial Sediments Near the Shell Mound	
	and Reference Sites	. 3-42
3.4-2	Ranges of Total Organic Carbon (%), Dissolved and Total Sulfides, and	
	Ammonia (mg/kg) in Surficial Sediments in the Vicinity of Shell Mounds	
	and Reference Sites	. 3-43
3.4-3	Ranges in Metal Concentrations (mg/kg) in Surficial Sediments Collecte	d
	Near the Shell Mounds and Reference Sites	. 3-45
3.4-4	Concentrations (ng/g) of Organotins in Surficial Sediments Near the	
	Shell Mounds and Reference Sites	. 3-47
3.4-5	Concentrations of Selected Pesticides and PCBs (ng/g) for Surficial	
	` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	. 3-48
3.4-6	Concentrations of PAHs (ng/g) in Surficial Sediments Near the Shell	
	Mounds and Reference Sites.	. 3-49
3.4-7	TPH and TRPH Concentrations (mg/kg) in Surficial Sediments Near the	
	Shell Mounds and Reference Sites	. 3-51